

**REQUEST FOR PROPOSAL (RFP) FOR PROCUREMENT OF
2 X PTZ CCTV CAMERAS
FOR ARMY PUBLIC SCHOOL, MIRAN SAHIB**

REQUEST FOR PROPOSAL (RFP/02/PROC/2024-25/APSMS)

1. The address and contact numbers for sending Bids or seeking clarifications regarding this RFP are given below: -

(a)	Bids/queries to be addressed to	Principal Army Public School Miran Sahiib
(b)	Postal address for sending the Bids	Army Public School Miran Sahiib
(c)	Name/designation of the contact Personnel	Principal
(d)	Tele numbers of the contact Personnel	01923295332, 9419265839

2. The Request for proposal (RFP) consists of three parts as indicated below: -

- (a) **Part I.** Contains General Information and Instructions for the Bidders about the RFP such as the time, place of submission and opening of tenders, Validity period of tenders, etc.
- (b) **Part II.** Essential details of the items/services required and Technical Specification.
- (c) **Part III.** Standard Condition of RFP.
- (d) **Part IV.** Evaluation criteria and Price Bid issues

3. This RFP is being issued with no financial commitment and the Buyer reserves the right to change or vary any and part thereof at any stage. Buyer also reserves the right to withdraw the RFP, should it become necessary at any stage.

(Ms. Ritu Sharma)
Principal
APS Miran Sahiib

Dated:

PART I – GENERAL INFORMATION

1. **Manner of Depositing the Bids.** The bids will be submitted in the following manner:-

(a) The original of following documents shall be submitted physically in the sealed tender box prior to bid submission closing date.

(i) **Earnest Money Deposit.** Bidders are required to submit Earnest Money Deposit (EMD) for **EMD: Rs 3,000 /- (Rupees Three Thousand only)** with their bids in the form of **Demand Draft only in favor of ARMY PUBLIC SCHOOL MIRAN SAHIB.** EMD should be valid for a period of **three months.** The Bid Security would be returned, after the receipt of Performance Security as called for the contract. The EMD will be forfeited if the bidder withdraws or derogates from the tender within the validity period. Canvassing and attempt to vitiate tender process in any form will also lead to forfeiture of EMD.

(b) Bidders are required to submit their technical and financial bids along with EMD in separate sealed envelopes, with company seal and signature of the authorized signatory. All the envelopes should be enclosed in a cover envelope, which is to be sealed with company seal and signature of the authorized signatory. Each page of the bid would be required to be initialized by the authorized signatory along with company stamp.

(c) Bidders are not exempt from depositing the EMD.

(d) **Last date and time for depositing the Bids : 17 July 2024**

(e) **Tentative Time and date for opening of Bids : 22 July 2024**

(f) **Location of Tender Box : Main Gate , 162 Inf Brig Miran Sahib (Edu Branch)**

(g) **Clarification regarding content of the RFP : 17 July 2024**

(h) Modification and withdrawal of Bids – No Bids shall be modified after the date and time of end of submission of bids. No bids may be withdrawn in the interval between the deadline for submission of bids and expiration of the period of Bids validity specified. Withdrawal of a Bid during this period will result in forfeiture of the Bidder's EMD.

(i) Rejection of Bids: Canvassing by the firm in any form, unsolicited letter and post tender correction may invoke summary rejection and forfeiture of EMD. Conditioned tenders will be rejected.

(j) Validity of Bids: Bids should remain valid for a minimum period of 03 Months from date of submission of bids.

(k) The approval or rejection of tender (s) rest with the Competent Financial Authority (CFA) as applicable, who reserve to himself the right of rejecting any tenders in whole or in part.

(l) Any further information required on application can be obtained on any working day between 0900 to 1600 Hours.

(m) 100 % payment of bills of the successful bidder will be made through e-payment upon generation of bill from the firm and physical receipt and acceptance of stores by APS, Miran Sahiib.

(n) These instructions on 'Invitation to Bid' are to be signed by you and returned along with your Bid.

TECHNICAL BID ENVELOPE (ANNEXURE 1 TO 3)

2. **Preparation and submission of Tenders:-** Tender will be submitted in two parts i.e. Technical Bid and Financial Bid. Quotation will be valid for 180 days. Bids will be submitted in three envelopes by bidder as under:-

(a) Technical Bid Envelope – 2 X PTZ CCTV CAMERAS - <Name of the firm>

Principal
Army Public School,
Miran Sahib, Jammu

(b) Financial Bid Envelope

Financial Bid – **2 X PTZ CCTV CAMERAS** - **<Name of the firm>**

Principal
Army Public School,
Miran Sahib, Jammu

Financial bids of only technically successful vendors will be opened. Bidders are invited to be present at date and time of opening of financial bids at the school, date and time will be emailed 48 hours in advance. The lowest bidder (L1) will be selected successful to supply items. In case of failure, the next lowest bidder (L2) may be called upon to supply at the same cost, terms & conditions as for L1 bidder post negotiations.

(c) EMD Envelope

EMD – **2 X PTZ CCTV CAMERAS** - **<Name of the firm>**

Principal
Army Public School,
Miran Sahib, Jammu

EMD for Rs 3,000/- (Rupees Three Thousand only) in favor of Army Public School, Miran Sahib is valid for three months.

(d) Cover Bid Envelope

Bid – **2 X PTZ CCTV CAMERAS** - **<Name of the firm>**

Principal
Army Public School,
Miran Sahib, Jammu

PART II – SPECIFICATION

Deliverables

1. On conclusion of contractual process unsuccessful bidders will be returned EMDs.
2. Changes to selected products of L-1 bidder will be intimated in writing by school management and explained in person to the bidder. Bidder is permitted to supply complete items in one go within ten days, items will be delivered as per under mention schedule:-

(a)	2 X PTZ CCTV CAMERAS	Within 30 days of supply order.
-----	----------------------	---------------------------------

MINIMUM SPECIFICATIONS

Bidders must submit a quote that meets the requirement of the below-mentioned specifications:-

S.no	Item Name and Specifications	QTY
01	PTZ camera <ul style="list-style-type: none">• 25X Optical Zoom• High quality image with 4MP, 1/2.8" CMOS sensor• 2688x1520@30fps in the main stream• Smart IR, up to 100 m (328ft) IR distance• Smart H.265, H.265, H.264, MJPEG• Triple streams• Smart intrusion prevention, support false alarm filtering, include Line Crossing, Intrusion, Enter Area, Leave Area detection.• People Counting, support people flow counting and crowd density monitoring, suitable for different statistical scenarios• Lighthunter technology ensures ultra-high image quality in low illumination environment• DC 12V±25% or PoE+ (IEEE 802.3at)• Alarm 2CH in and 1CH out, Audio 1CH in and 1CH out• 6 KV surge protection designed for network interface• P67 ingress protection and IK10 vandal resistant Image Sensor 1/2.8" progressive scan, 4.0 megapixel CMOS Lens 4.8 ~ 120mm (25x optical zoom) AF automatic focusing and motorized zoom lens Angle of view(H) 52.20° (Wide) ~2.74°(tele) Shutter Auto/manual; shutter time 1s ~ 1/100000s Minimum illumination Colour: 0.003 lux (F1.5, AGC ON)0 lux with IR Iris Auto/Manual; F1.5 ~ F3.8 Day/Night IR-cut filter with auto switch (ICR) Digital noise reduction 2D/3D DNR S/N 56dB IR Range Up to 100 m (328 ft) Defog Digital Defog WDR 120dB Digital zoom 16x	02
02	NVR <ul style="list-style-type: none">• 4 CH Support 8MP/ 6MP/ 5MP / 4MP / 3MP / 1080P / 960P / 720P IP input	01

	<ul style="list-style-type: none"> • Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate • Intuitive and user-friendly Graphics User Interface (GUI), window style operation by • mouse • Multi-mode recording: manual / timer / motion • Playback : 4 / 8 CH simultaneously playback • Search: time slice, time, event (manual, Sensor,Motion), tag search • Express and flexible backup via USB, network and so on • Pentaplex: preview, record, playback, backup and remote access • DHCP, DDNS, PPPoE network protocol,and CMS supported • Remote control via IE or CMS : Preview, Playback, backup, PTZ and configuration • Dual stream technology for local storage with high definition, remote network • transmission and remote surveillance with mobile device • Multi-user online simultaneously • Authorization management, log review and device status review • Support 1080P output, true high resolution display • Support PTZ preset and auto cruise, up to 255 presets and 8 cruises • Support NAT function and QR Code Scanning by Mobile Phone and PAD • Powerful Smart Phone &Pad Surveillance with iOS and Andriod OS 																																			
03	<p>Optical Fiber Cable</p> <table> <tr> <td>Cable Type</td> <td>Unarmoured 16 core</td> </tr> <tr> <td>Diameter</td> <td>8.5 mm</td> </tr> <tr> <td>Mode Type</td> <td>Single Mode</td> </tr> <tr> <td>Jacket Material</td> <td>HDPE</td> </tr> <tr> <td>Operating Temperature</td> <td>-40 deg C to +70 deg C</td> </tr> <tr> <td>Storage Temperature</td> <td>-40 deg C to +60 deg C</td> </tr> </table>	Cable Type	Unarmoured 16 core	Diameter	8.5 mm	Mode Type	Single Mode	Jacket Material	HDPE	Operating Temperature	-40 deg C to +70 deg C	Storage Temperature	-40 deg C to +60 deg C	300 Meter																						
Cable Type	Unarmoured 16 core																																			
Diameter	8.5 mm																																			
Mode Type	Single Mode																																			
Jacket Material	HDPE																																			
Operating Temperature	-40 deg C to +70 deg C																																			
Storage Temperature	-40 deg C to +60 deg C																																			
04	<p>Cat 6 Cable OutDoor</p> <table> <tr> <td>Brand</td> <td>D-Link, HI FOCUS</td> </tr> <tr> <td>Cable Type</td> <td>Ethernet</td> </tr> <tr> <td>Compatible Devices</td> <td>Modem</td> </tr> <tr> <td>Compatible Phone Models</td> <td>Modem</td> </tr> <tr> <td>Colour</td> <td>gray, Black</td> </tr> <tr> <td>Connector Gender</td> <td>Male-to-Male</td> </tr> <tr> <td>Shape</td> <td>Round</td> </tr> <tr> <td>Net Quantity</td> <td>1 Count</td> </tr> <tr> <td>Connectivity Technology</td> <td>Ethernet</td> </tr> <tr> <td>Outer Material</td> <td>Other</td> </tr> <tr> <td>Inner jacket material</td> <td>PVC</td> </tr> <tr> <td>Storage temperature range</td> <td>-20 deg.C to +70 deg. C</td> </tr> <tr> <td>Operating temperature range</td> <td>-20 deg.C to +60 deg. C</td> </tr> <tr> <td>Cable category</td> <td>CAT6 UTP - Outer jacket FR</td> </tr> <tr> <td>Conductor diameter</td> <td>0.51 mm (24 AWG)</td> </tr> <tr> <td>Length of cable in a bundle</td> <td>305 mtrs</td> </tr> <tr> <td>Maximum DC resistance - in</td> <td>Ohm/Km Max. 100 Ohm/Km</td> </tr> </table>	Brand	D-Link, HI FOCUS	Cable Type	Ethernet	Compatible Devices	Modem	Compatible Phone Models	Modem	Colour	gray, Black	Connector Gender	Male-to-Male	Shape	Round	Net Quantity	1 Count	Connectivity Technology	Ethernet	Outer Material	Other	Inner jacket material	PVC	Storage temperature range	-20 deg.C to +70 deg. C	Operating temperature range	-20 deg.C to +60 deg. C	Cable category	CAT6 UTP - Outer jacket FR	Conductor diameter	0.51 mm (24 AWG)	Length of cable in a bundle	305 mtrs	Maximum DC resistance - in	Ohm/Km Max. 100 Ohm/Km	305 Meter
Brand	D-Link, HI FOCUS																																			
Cable Type	Ethernet																																			
Compatible Devices	Modem																																			
Compatible Phone Models	Modem																																			
Colour	gray, Black																																			
Connector Gender	Male-to-Male																																			
Shape	Round																																			
Net Quantity	1 Count																																			
Connectivity Technology	Ethernet																																			
Outer Material	Other																																			
Inner jacket material	PVC																																			
Storage temperature range	-20 deg.C to +70 deg. C																																			
Operating temperature range	-20 deg.C to +60 deg. C																																			
Cable category	CAT6 UTP - Outer jacket FR																																			
Conductor diameter	0.51 mm (24 AWG)																																			
Length of cable in a bundle	305 mtrs																																			
Maximum DC resistance - in	Ohm/Km Max. 100 Ohm/Km																																			
05	<p>2.5 mm 2 Core Copper unarmored Cable</p> <table> <tr> <td>Features</td> <td>Good Quality PVC Coating and Good Grade Copper Conductor material is used which makes it suitable for domestic as well as Industrial use.</td> </tr> </table>	Features	Good Quality PVC Coating and Good Grade Copper Conductor material is used which makes it suitable for domestic as well as Industrial use.	300 Meter																																
Features	Good Quality PVC Coating and Good Grade Copper Conductor material is used which makes it suitable for domestic as well as Industrial use.																																			

	Conformity to Indian Standard As per IS: 694: 2010 (With latest up to date Amendment) Type of Insulation (shall conforming to IS:5831:1984 latest) Type C (HR) Thickness of Insulation As per (Clause 17.1.2) of IS 694	
06	Media Converter <ul style="list-style-type: none"> Support the switch between 10/100/1000Base-T and 1000Base-SX/LX 1*1.25Gbps full duplex fiber port, 1*10/100/1000M adaptive Ethernet port Support 10/100/1000M rate, support MDI/MDI-X adaptive, support full/half duplex adaptive Each port has the complete LED Indicator light Support IEEE802.1d Spanning Tree Support high performance QoS function on each port 1*9 fixed fiber module or SFP slot optional Support 9K bytes Jumbo Packet Low time delay, data isolation function Require no configuration and will instantly operate as soon as you power it up Small volume Low power consumption chip with heat sink built in to ensure longtime efficient operation 	14
07	Installation charges and Other Accessories <ul style="list-style-type: none"> Laying of Optical Fiber Upto 300 Meters Installation and Configuration of 2 x PTZ Laying out 300 meter HDPE Conduit under 1 feet inside ground 	01
08	HDPE PLB Duct, Conduit for Optical Fiber Cable (OFC) <ul style="list-style-type: none"> Size 32/26 mm Outer Diameter 32 mm (+0.3 mm, -0.0 mm) Wall Thickness 3.0 mm \pm 0.2 mm Standard Length 300,1000 mtr Recommended Max. OD of OFC 12 mm 	300 Meter

To install and configure 2 x PTZ CCTV CAMERAS throughout the building, vendor need to follow a systematic process

Site Survey:

Conduct a comprehensive site survey to determine the optimal locations for camera placement. Identify areas of interest, such as entry points, corridors, stairwells, parking lots, and high-security zones.

Install mounting brackets or housings for each camera at the predetermined locations.

Ensure proper alignment and angle adjustment for optimal camera coverage. Securely mount the cameras to prevent tampering or unauthorized adjustments.

Connection and Power Supply:

Connect each camera to the power source and the network switch using the appropriate cables. Verify power supply and network connectivity for each camera to ensure they are operational.

Configuration and Setup:

Access the camera's configuration interface to set up parameters such as resolution, frame rate, motion detection, and recording settings. Configure network settings, including IP addresses and network protocols, for remote access and integration with the central monitoring system.

Testing and Calibration:

Conduct thorough testing of each camera to verify its functionality, image quality, and coverage area. Make necessary adjustments to camera settings or positioning to optimize performance and minimize blind spots.

Integration with Monitoring System:

Integrate the 2 x PTZ CCTV CAMERAS with the central monitoring system for real-time monitoring and recording.

Configure alerts and notifications for events such as motion detection or tampering.

Training and Handover:

Provide training to relevant personnel on how to operate and manage the CCTV system effectively. Hand over documentation, including camera locations, configurations, and maintenance procedures, to the building management team.

Ongoing Maintenance and Support:

IMPLEMENTATION AND TECHNICAL SUPPORT	
Technician Certification Requirements	<ul style="list-style-type: none">• Qualified technicians or Engineers to conduct installations and technical support (provide certificates as proof)• Company Certifications Proofs

Establish a maintenance schedule for regular inspections, cleaning, and firmware updates to ensure the continued reliability and performance of the CCTV system.

Provide ongoing technical support and troubleshooting assistance as initially for one year.

Onsite Technical Support Maintenance	<ul style="list-style-type: none"> • 1 Year onsite technical support & maintenance • Swap out equipment • Next business day response
Quality Assurance and Control	<ul style="list-style-type: none"> • The Contractor must guarantee full quality assurance of all • Works carried out in accordance with the requirements described in this call for tenders.

PART III – STANDARD CONDITIONS OF RFP

1. **Warranty.** The seller will provide warranty for minimum **12 months** from the date of acceptance, wherever the warranty given by OEM is lesser the same will be extended by Seller at his own cost. If the repair is not found satisfactory and/ or item(s) is found not repairable by the buyer, the item(s) will be replaced by the seller at his own cost. If he fails to do so, the risk and expense clause will be invoked and item(s) bought from local market and the risk, cost and expense of the seller and money(s) so incurred in executing purchase shall be recovered from the amount due to seller/EMD/PBG etc.

2. **Delivery Period.** Delivery period for supply of items/installed would be within **30 days** from the date of supply order. Please note that contract can be cancelled unilaterally by the Army Public School Miran Sahib in case items are not received within the time which is given on Supply Order. Extension of contracted delivery period will be at the sole discretion of the Army Public School, Miran Sahib, with applicability of LD clause.

3. **Eligibility Criteria.** The Tenders must fulfill following tender enquiry for successful bidder as per the following laid down procedures. In order to be technically qualified, bidder has to fulfill the following criteria:-

(a)	Participating entity's turnover should be minimum Rs 20 lacs for previous financial year 2022-2023.
(b)	Attached ITR copy of previous year 2023-2024 and Last Quarter/Month GST Return
(c)	EMD
(d)	Participating entity should have valid Permanent Account Number (PAN), manufacturing/trading license/contractor (if applicable), and Goods and Services Tax(GST) number.
(e)	Annexure-1 and 2 to be submitted.
(f)	Experience Certificate or any other documents which establishes the credentials of the firm in the field of the tender

4. **Performance Security.** Performance Security can be submitted in form of Performance Bank Guarantee (PBG) pledged in favour of **Army Public School, Miran Sahib** drawn on any nationalized bank or Demand Draft (DD). PBG will be valid for 12

months. PBG will be released, less due to buyer on account of penalties/other dues, on completion of warranty period, unless forfeited as per terms and condition. PBG @ 4% of the bid amount will be applicable for successful bidder as per the laid down procedure & PBG hold for three year. PBG will be deposited within 7 days of placing of Supply Order. In case seller fails to deposit PBG within 7 days, amount due will be recovered from EMD and /or amount due to be paid to seller, by the buyer. Penal of delay will be 0.5% of amount due per week or part thereof upto a maximum of 4% which will then lead to termination of contract and supply order at the sole discretion of school management. Discretion in delay waiver will be of school management only if provided in writing.

5. **Repeat Order Clause:** The contract will have a Repeat Order Clause, wherein the Army Public School Miran Sahiib can order upto 50% quantity of the items under the present contract within six months from the date of supply/successful completion of this contract, the cost, terms & conditions remaining the same. The Bidder is to confirm acceptance of this clause. It will be entirely the discretion of the ArmyPublic School, Miran Sahiib to place the Repeat order or not.

6. **Tolerance Clause:** To take care of any change in the requirement duringthe period starting from issue of tender enquiry till placement of the contract. Army Public School Miran Sahiib reserves the right to 50% plus/minus increase or decrease the quantity of the required goods up to that limit without any change in the terms & conditions and prices quoted by the Seller. While awarding the contract, the quantity ordered can be increased or decreased by the Army Public School, Miran Sahiib within this tolerance limit. Such tolerance will be indicated by the school any time from now till delivery of 50% of the items by seller, scheduled and indicated in supply order.

7. **Payments:** No advance payments will be made. Payment will be for items supplied only on successful acceptance of items by school management through duly constituted board of teachers by the school management.

8. **Liquidated Damages:** In the event of the Seller's failure to submit the Bonds, Guarantees and Documents, supply the stores/goods and conduct trials, installation of equipment, training, etc as specified in this contract, the Army Public School, Miran Sahiib may, at his discretion, with hold any payment until the completion of the contract. The Army Public School Miran Sahiib may also deduct from the Seller as agreed, liquidated damages to the sum of upto 4% of the contract price of the delayed/undelivered stores/services mentioned above, liquidated damages for every week of delay or part of a week will be 0.5%, subject to the maximum value of the Liquidated Damages being not higher than 4% of the value of delayed stores.

9. **Industry Norms:** Device should meet industry norms and relevant certificate to be provided.

10. **Penalty for use of undue influence :** The Seller undertakes that he has not given, offered or promised to give, directly or indirectly, any gift, consideration, reward, commission, fees, brokerage or inducement to any person in service of the Buyer or to any other person in a position to influence any officer/employee of the Buyer for showing any favour in relation to this or any other contract, shall render the Seller to such liability / penalty as the Buyer may deem proper, including but not limited to termination of the contract, imposition of penal damages, forfeiture of the Bank Guarantee and refund of the amounts paid by the Buyer.

11. **Agent / Agency Commission** The Seller confirms and declares to the Buyer that the Seller is the original manufacturer/ authorized vendor of the stores/provider of the services referred to in this Contract and has not engaged any individual or firm. If at a later stage it is discovered by the Buyer that the Seller has engaged any such individual/firm, and paid or intended to pay any amount, gift, reward, fees, commissioner consideration to such person, party, firm or institution, whether before or after the signing of this contract, the Seller will be liable to refund that amount to the Buyer.

13. **Non Disclosure of Contract Document** Except with the written consent of the Buyer/ Seller, other party shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party

14. **Termination of Contract** The Buyer shall have the right to terminate this Contract in part or in full in any of the following cases:-

(a) The delivery of the material is delayed for causes not attributable to Force Majeure for more than one month after the scheduled date of delivery.

(b) The Seller is declared bankrupt or becomes insolvent.

(c) The delivery of material is delayed due to causes of Force Majeure by more than one month from the cessation of Force Majeure condition included in contract.

(d) The Buyer has noticed that the Seller has utilized the services of any Indian/Foreign agent in getting this contract and paid any commission to such individual/company etc.

15. **Transfer and Sub-letting** The Seller has no right to give, bargain, sell, assign or sublet or otherwise dispose of the Contract or any part thereof, as well as to give or to let a third party take benefit or advantage of the present Contract or any part thereof.

16. **Taxes and Duties:** The bidders should quote basic cost inclusive of cost of transportation upto destination and duly Decarately including various taxes as applicable

17. **OEM Certificate:** All original OEM Certificates should be handed over along with stores

18. **Training and Manual :** Equipment Training to be provided to user at no extra cost. User manual should be provided along with stores

19. **Fall Clause:** Fall Clause will be invoked if price charged for stores supplied under contract exceeds the lowest price at which contractor sells identical stores to any other Org/Deptt of Central Govt/State Govt/Undertaking during current contract.

20. **Down Time:** The vendor should ensure that the equipment reported down (including due to OS related problems) on any working day is set right **within 56 hours of reporting the complaint and in no case, later than three working days**. In case, the hardware cannot be repaired within the stipulated period, the vendor should provide replacement (of equivalent capacity) of the same.

21. **Warranty Repair Register:** Vendor will maintain Defect / Warranty register for all Repair / Warranty Replacement / Schedule Maintenance for record.

ANNEXURE 1 – ORGANIZATION DETAILS

1. The following information requested needs to be submitted in the technical bid to the concerned authorities with appropriate supporting documentation, duly attested by authorized signatory of the firm/agency, failing which this would be rejected.

S No	Information Requested	Supporting documents required	Tick
1	Name of the firm/agency	Certificate of registration/incorporation	
2	Address of the firm/agency		
3	Telephone no.		
4	Email ID		
5	Participating entity should be a Service Provider of Physical Education with a valid Permanent Account Number (PAN), manufacturing/trading license (if applicable), and Goods and Services Tax (GST) number	PAN card copy	
		GST certificate copy and Quarterly/Month return certificate	
6	Participating entity's turnover should be minimum Rs 20 lakhs previous financial year 2023-2024	Copies of ITR for assessment years 2023-2024	
7	Address proof of office/firm/agency/shop	Copies of Electricity Bill, Water Bill, Telephone Bill, Rent Agreement, Bank Statement - any one document	
8	EMD	EMD: Rs 3,000 /- (Rupees Three Thousand only)	
9	Experience certificate (Supply order for the same category from Government t or semi Government body min 10 Lakhs)		

PART IV – EVALUATION CRITERIA TECHNICAL AND PRICE BID ISSUES

- a) Only those bidders, whose technical specifications are correctly matched will be eligible for opening of financial bids.
- b) Once L-1 is decided and supply order placed, technical testing of the product will be carried out before its acceptance.

Financial/ Commercial Proposal

Details are given as per Scope of Work, specifications and other indications/ illustrations/ details given in RFP, as under:-

S No	Item	Accounting Unit	Qty	Basic Cost (Rs) ('X')	GST Applicable (%)	Total Price (Rs)
1.	PTZ camera					
2	NVR					
3	Optical Fiber Cable					
4	Cat 6 Cable OutDoor					
5	2.5 mm 2 Core Copper unarmored Cable					
6	Media Converter					
7	Installation charges and Other Accessories					
8	HDPE PLB Duct, Conduit for Optical Fiber Cable (OFC)					
Cost (Rs) ('Including GST') in Rupees –						
Total Price (Rs) in words –						

The Technical Bid, Financial Bid and EMD in different - different envelopes and these envelopes in one envelope (Cover Bid Envelope)

SAMPLE ENVELOPE

TECHNICAL BID

"2 X PTZ CCTV CAMERAS"

Technical Bid
Envelope Sample

Sender Address

COMMERCIAL BID

"2 X PTZ CCTV CAMERAS"

Financial Bid
Envelope Sample

Sender Address

EMD/ MSME CERTIFICATE

"2 X PTZ CCTV CAMERAS"

EMD/MSME
Certificate
Envelope Sam

