

950/3

09-July-2025

TO,

CALL FOR QUOTATION

Subject: **Request for Quotation — Procurement of Ride on Lawn Mower with Grass Box**

Dear Sir/Madam,

1. Detailed Specification and Scope of Work

S.NO	PARTICULAR WITH MINIMUM SPECIFICATIONS	QTY
1	Ride on Lawn Mower with Grass Box	1
	Engine	K 1600 AVD
	Capacity	452cc
	Cruise Control	No
	Blade Engagement	Electromagnetic Clutch (Button)
	Mulching Kit	Included
	Cutting Type	Collection, Mulch & Collect
	Starting Method	Electric Start
	Blades	2
	Cylinders	Single Cylinder
	Trailer Hitch	Included
	Dimensions	L: 250cm x W: 109cm x H: 110cm
	Item Weight	200.kg
	Fuel Capacity	7.5 Litre
	Grass Box	300 Litre
	Height of Cut Positions	7 Positions
	Height of Cut Range	30 - 90mm
	Speeds	Forward: 0-8.8km/h / Reverse: 0-4.5km/h
	Hydrostatic Transmission	Pedal-operated Tuff Torq K46DR
	Wheels	Front 15 x 6.00-6 Rear 18 x 8.50-8
	Width of Cut	102cm / 40"
	Warranty	5 Years Domestic *subject to T&C



Quotation Submission Requirements

Please provide the following details in your quotation:

1. Itemized cost breakdown for each component/service.
2. Estimated time frame for project completion.
3. Warranty on materials and workmanship (if applicable).
4. Terms and conditions of service.
5. Validity period of the quotation.
6. GST registration details and applicable taxes.

Submission of Quotation

Quotations must be submitted offline in a sealed envelope, clearly marked "Quotation for Procurement of Ride on Lawn Mover with Grass Box", and dropped in the tender box located at:

4 JAKLI Main Gate (307) TCP, Kharian, Miran Sahib, Jammu, J&K.

Important:

1. No other mode of submission is acceptable. Quotations submitted via email, courier, or any other means will not be considered.
2. Vendors who have already participated in the Call for Quotation dated 21st June 2025 are not required to participate again.

Submission Deadline

Kindly submit your quotation in the tender box by 15-07-25.



Dr. Sharma
Principal
Army Public School
Miran Sahib, Jammu

950/3

09 - July - 2025

TO,

CALL FOR QUOTATION

Subject: **Request for Quotation —Procurement of Epson Ecotank L14150**

Dear Sir/Madam,

1. Detailed Specification and Scope of Work

S. No.	Item Description	Quantity
01	Epson Ecotank L14150 – Features: 1. Display: 6.9 cm LCD Touch Screen 2. ADF (Automatic Document Feeder): 35 sheets (64–95 gsm) 3. Wireless: WiFi IEEE 802.11b/g/n, WiFi Direct 4. Functions: Scan 5. Connectivity: USB 2.0 and Ethernet 6. Fax Features: PC FAX (Transmission & Receive) 7. Duplex Printing: Automatic 2-sided printing (up to A4) 8. Print Speed: Please refer to the datasheet (not included in image) 9. Supported Paper Sizes: A3+, A3, A4, Bond, Legal, etc. 10. Max Copying & Scanning Size: 21.6 x 35.6 cm	01

Quotation Submission Requirements

Please provide the following details in your quotation:

1. Itemized cost breakdown for each component/service.
2. Estimated time frame for project completion.
3. Warranty on materials and workmanship (if applicable).
4. Terms and conditions of service.
5. Validity period of the quotation.

Submission of Quotation

Quotations must be submitted offline in a sealed envelope, clearly marked “**Quotation for Procurement of Epson Ecotank L14150**”, and dropped in the tender box located at:

4 JAKLI Main Gate (307) TCP, Kharian, Miran Sahib, Jammu, J&K.

Important:



1. No other mode of submission is acceptable. Quotations submitted via email, courier, or any other means will not be considered.
2. Vendors who have already participated in the Call for Quotation dated 21st June 2025 are not required to participate again.

Submission Deadline

Kindly submit your quotation in the tender box by 15-07-25.



Pr. Shaema
Principal
Army Public School
Miran Sahib, Jammu

950/3

09 July-2025

TO,

CALL FOR QUOTATION

Subject: **Request for Quotation — Construction of Overhead Covered Walkway**

Dear Sir/Madam,

1. Foundation & Base

- **Excavation:**
 - Excavation pits: 300 mm x 300 mm x 750 mm deep for each column footing.
- **PCC Base:**
 - 100 mm thick PCC (1:2:4) at the base of the foundation pit to provide a level base and prevent settlement.

2. MS Pole Structure


1. **Vertical Supports:**
 - a. Material: MS pipe, 100 mm diameter, 4 mm thick (as noted).
 - b. Spacing: 3.0 meters center-to-center (c/c).
 - c. Height: As per the design sketch (approx. 3.0–3.5 meters above ground level).
 - d. Fixing: Poles embedded into the PCC footing (minimum 300 mm embedment) and anchored using 4 nos. 12 mm diameter foundation bolts.
 - e. Finish: Two coats of anti-corrosive primer and two coats of synthetic enamel paint.

3. Truss & Roofing Structure

1. **Truss:**
 - a. Frame: 40x40x3 mm MS square tube members forming the truss.
 - b. Top chord & diagonal members: 40x40x3 mm MS square tubes.
 - c. Horizontal tie member: 60x60x3 mm MS square tube.
 - d. Bracing & stiffeners: 40x40x3 mm MS square tubes, as per drawing detail.
 - e. Roof pitch: As per design slope (typically 10–15 degrees).
 - f. Joint connections: Welded connections with gusset plates where required.

4. Configuration:

- a. Type: Triangular pitched roof truss with vertical and diagonal bracing.
- b. Top Chord: 40x40x3 mm MS square tube.
- c. Bottom Chord (Tie Member): 60x60x4 mm MS square tube.



- d. Vertical Members: 40x40x3 mm MS square tube.
- e. Diagonal Members: 40x40x3 mm MS square tube.
- f. Connections: Welded (full weld) at all intersections; gusset plates at critical joints for added stability.

5. Member arrangement:

- a. **Top Chord Slope:** Approximately 15 degrees to facilitate water drainage.
- b. **Diagonals:** Symmetrical X-bracing within the truss, connecting the top chord to the bottom chord and between vertical members for load transfer and stability.
- c. **Vertical Posts:** Two at each end of the span, supporting the truss and connecting to foundations.

6. Roofing Sheet:

- a. Material: 0.5 mm thick color-coated galvalume sheet.
- b. **Profile:** Trapezoidal or sinusoidal profile sheet with overlaps at edges and ridge capping for water tightness.
- c. Fixing: Self-drilling screws with EPDM washers at every 300 mm spacing along supports.
- d. Roof Overhang: Min. 150 mm on both sides beyond walkway width.

7. Additional Details

- a. **Ridge Capping:** Color-coated ridge cap matching roofing sheet.
- b. **Rainwater Management:** Provide drip edges or gutters to direct water away from walkway edges.
- c. **Surface Finish:** All exposed metal surfaces to be cleaned, primed with anti-corrosive primer, and painted with two coats of synthetic enamel paint.

8. Construction sequence


1. **Layout** — Mark the alignment on the ground, set out pole positions at 3.0m c/c spacing.
2. **Excavation** — Dig 300x300x750 mm pits at each marked pole position.
3. **PCC Base** — Pour 100 mm thick PCC (1:2:4) in each pit base and allow to cure.
4. **MS Pole Erection** — Place 100 mm dia MS poles, ensuring vertical alignment with the help of a plumb bob and level.
5. **Truss Framing** — Fabricate trusses on-site or in a workshop; fix them on top of the poles using welded or bolted connections.
6. **Roofing** — Fix 0.5 mm thick galvalume sheets to the truss with self-drilling screws and EPDM washers.
7. **Finishing** — Paint all steel surfaces; install ridge capping and rainwater drip edges.

9. Recommendations

1. Check pole alignment carefully to avoid misalignment of roof frames.
2. Ensure welding quality is adequate and meets IS standards.
3. Provide at least 1:100 slope for the roof to facilitate drainage.



0. Drawing:



11. Dimensions: Width : 6 Feet, Length: 774 Feet, Height : 11 Feet From Ground Level)

Quotation Submission Requirements

Please provide the following details in your quotation:

1. Itemized cost breakdown for each component/service.
2. Estimated time frame for project completion.
3. Warranty on materials and workmanship (if applicable).
4. Terms and conditions of service.
5. Validity period of the quotation.
6. GST registration details and applicable taxes.



Submission of Quotation

Quotations must be submitted offline in a sealed envelope, clearly marked "Quotation for Construction of Walking Path", and dropped in the tender box located at:

4 JAKLI Main Gate (307) TCP, Kharian, Miran Sahib, Jammu, J&K.


Important:

1. No other mode of submission is acceptable. Quotations submitted via email, courier, or any other means will not be considered.
2. Vendors are requested to kindly visit the school and inspect the site before quoting to ensure accurate estimation of requirements.
3. Vendors who have already participated in the Call for Quotation dated 21st June 2025 are not required to participate again.

Submission Deadline

Kindly submit your quotation in the tender box by 15-07-25.




Principal
Army Public School
Miran Sahib, Jammu

09 - 07 - 2025

TO,

CALL FOR QUOTATIONSubject: Request for Quotation —Supply and Installation of EPABX

Dear Sir/Madam,

1. Detailed Specification and Scope of Work

S. NO	PARTICULAR	QTY
1	Analog EPABX – Brand Name CCL, with power supply having 32 Analog intercom Ports & 2 incoming Ports with 1 Year Warranty(31 required connections and 1 Extra)	1 Unit
2	50 Pair MDF with Krone Module (including punching at exchange side) – At Exchange Room (IT Cell)	1 Piece
3	20 Pair MDF with Krone Module Ground Floor, Second Floor	2 Piece
4	10 Pair MDF with Krone Module First Floor & Corners of the Corridors	6 Piece
5	OFC for Connection to Main Gate and MPH	100 Meter
6	Media Converters for each connection of OFC, i.e. Main Gate & MPH	02 Pair
7	Wall Mount Racks for housing media Converters along with three extension cables	03 Piece
8	Beetel Telephone with Caller ID	3 Piece
9	Beetel Telephone without Caller ID	28 Piece
10	Landline Telephone Patch Cords + Connection Box	01
11	Single Pair Cable complete with supply, laying, Labour Charges & fitting along with the cost of PVC Bettons	2000 Mtrs
12	10 Pair, 12 Pair Cable complete with supply, laying & Fitting	200 Mtrs
13	Installation & Commissioning Charges, Testing & Correction of Faults (if any), Courier & Freight Charges are Included.	01 Service
14	Miscellaneous Expenses/ Other	—



15	AMC (Year 1 is part of Warranty Period)	Year 2 Year 3
----	---	------------------

Quotation Submission Requirements

Please provide the following details in your quotation:

1. Itemized cost breakdown for each component/service.
2. Estimated time frame for project completion.
3. Warranty on materials and workmanship (if applicable).
4. Terms and conditions of service.
5. Validity period of the quotation.

Submission of Quotation

Quotations must be submitted offline in a sealed envelope, clearly marked "Quotation for Supply and Installation of EPAX", and dropped in the tender box located at:

4 JAKLI Main Gate (307) TCP, Kharian, Miran Sahib, Jammu, J&K.

Important:

1. No other mode of submission is acceptable. Quotations submitted via email, courier, or any other means will not be considered.
2. Vendors who have already participated in the Call for Quotation dated 21st June 2025 are not required to participate again.

Submission Deadline

Kindly submit your quotation in the tender box by 15-07-25.



[Signature]
Principal
Army Public School
Miran Sahib, Jammu

950/3

09 -07-2025

TO,

CALL FOR QUOTATION

Subject: **Request for Quotation — Procurement and Installation of Digital Bell System for School**

Dear Sir/Madam,

1. Detailed Specification and Scope of Work

S. No.	Item Description	Quantity
01	<p><u>Procurement and Installation of Digital Bell System for School</u></p> <p>Objective:</p> <p>To install a reliable and programmable digital bell system that ensures punctual timekeeping and smooth conduct of school activities across all three floors of the school building.</p> <p>Scope of Work:</p> <ul style="list-style-type: none"> • Supply, installation, and commissioning of a centralized digital bell system. • Wiring and speaker distribution on all three floors. • Synchronization with school timetable and automation of bell schedules. <p>Requirements & Specifications:</p> <p><u>1. Digital Bell Control Unit</u></p> <ul style="list-style-type: none"> • Type: Microcontroller-based or PLC-based programmable digital bell controller. • Display: LCD/LED digital interface. • Timer Settings: Weekly programmable schedule (Monday to Saturday). • Modes: Manual & automatic. • Power Supply: 220V AC with battery backup (minimum 4 hours). • Memory: Minimum 50 bell timings per day. • Connectivity: Wireless remote or LAN-supported for schedule update (optional). 	01



2. Amplifier System

- **Output Power:** 500W.
- **Type:** PA (Public Address) amplifier with multiple zone support.
- **Features:** Volume control, overload protection, AUX/mic input for emergency announcements.

3. Speaker System

- **Type:** Wall-mounted PA horn or box speakers.
- **Sound Level:** Minimum 90 dB.
- **Coverage:** 3 speakers per floor
- **Wiring:** surface wiring using ISI-marked copper cables.

4. Wiring & Accessories

- **Cables:** ISI-marked 2-core copper wire (Polycab/Havells preferred). –Qty - 900 meter
- **Conduits:** PVC, ISI-marked, 50mm x 16mm. Qty – 300 meter
- **Switches/Connectors:** Branded and fire-retardant grade.

Installation Layout:

- **Ground Floor:** 3 speakers
- **First Floor:** 3 speakers
- **Second Floor:** 3 speakers
- **Control Unit Location:** school server room

Vendor Deliverables:

- Complete system supply and installation.
- User training and operation manual.
- 1-year onsite warranty and support.
- Post-installation testing and verification.

Estimated Timeline:

- **Procurement & Delivery:** 15 days
- **Installation & Setup:** 3 days
- **Testing & Commissioning:** 1 day

Quotation Submission Requirements

Please provide the following details in your quotation:

1. Itemized cost breakdown for each component/service.
2. Estimated time frame for project completion.



3. Warranty on materials and workmanship (if applicable).
4. Terms and conditions of service.
5. Validity period of the quotation.

Submission of Quotation

Quotations must be submitted offline in a sealed envelope, clearly marked "Quotation for Procurement and Installation of Digital Bell System for School", and dropped in the tender box located at:

4 JAKLI Main Gate (307) TCP, Kharian, Miran Sahib, Jammu, J&K.

Important:

1. No other mode of submission is acceptable. Quotations submitted via email, courier, or any other means will not be considered.
2. **Vendors who have already participated in the Call for Quotation dated 21st June 2025 are not required to participate again.**

Submission Deadline

Kindly submit your quotation in the tender box by 15-07-25.



Sh. Shaema
Principal
Army Public School
Miran Sahib, Jammu

950/3

09 - 07 - 2025

TO,

CALL FOR QUOTATION

Subject: **Request for Quotation —Procurement of Epson Projector**

Dear Sir/Madam,

1. Detailed Specification and Scope of Work

S. No.	Item Description	Quantity
1	Item Description: Projector Brightness: 3300lm with HDMI Port Product Features: 3300 Lumens in Colour Brightness &: White Brightness), Speakers Network Connectivity: VGA, USB, HDMI Native Resolution: 1024 x 768 Maximum Display Resolution: 1024 X 768 Pixels Display Type: LCD Form Factor: Portable Mounting Type: Ceiling Mount Lumens: 3300 lumen Colour: White Wattage: 50 Watts Controller Type: Remote Control Compatible Devices: Laptops, Smartphones, Gaming Consoles, Blu-ray Players, Other Media Players Contrast Ratio: 15000:1 Maximum Throw Distance: 1.76 Feet Light Source Operating Life: 10000 Hours Maximum Image Size: 889 centimetres Lamp Wattage: 210 Watts Hardware Connectivity: HDMI Control Method: Remote Minimum Throw Distance: 1 Metres Minimum Image Size: 30 Inches Picture Quality: 3LCD	02
2	Projector Laptop Stand Tripod Table Top and Floor Height Adjustable 2 to 4 Feet Foldable	01

Quotation Submission Requirements

Please provide the following details in your quotation:

1. Itemized cost breakdown for each component/service.
2. Estimated time frame for project completion.
3. Warranty on materials and workmanship (if applicable).
4. Terms and conditions of service.
5. Validity period of the quotation.



Submission of Quotation

Quotations must be submitted offline in a sealed envelope, clearly marked "Quotation for Procurement of Epson Projector", and dropped in the tender box located at:

4 JAKLI Main Gate (307) TCP, Kharian, Miran Sahib, Jammu, J&K.

Important:

1. No other mode of submission is acceptable. Quotations submitted via email, courier, or any other means will not be considered.
2. Vendor those have already participated in call for quotation 21 – June - 2025 dated there is no requirement of participate
3. **Vendors who have already participated in the Call for Quotation dated 21st June 2025 are not required to participate again.**

Submission Deadline

Kindly submit your quotation in the tender box by 15-07-25.




Principal
Army Public School
Miran Sahib, Jammu