

**REQUEST FOR PROPOSAL (RFP) FOR PROCUREMENT OF
NETWORKING OF BUILDING
FOR ARMY PUBLIC SCHOOL, MIRAN SAHIB**

REQUEST FOR PROPOSAL (RFP/01/PROC/2024-25/APSMS)

1. The address and contact numbers for sending Bids or seeking clarifications regarding this RFP are given below: -

(a)	Bids/queries to be addressed to	Principal Army Public School Miran Sahiib
(b)	Postal address for sending the Bids	Army Public School Miran Sahiib
(c)	Name/designation of the contact Personnel	Principal
(d)	Tele numbers of the contact Personnel	01923295332, 9419265839

2. The Request for proposal (RFP) consists of three parts as indicated below: -

- (a) **Part I.** Contains General Information and Instructions for the Bidders about the RFP such as the time, place of submission and opening of tenders, Validity period of tenders, etc.
- (b) **Part II.** Essential details of the items/services required and Technical Specification.
- (c) **Part III.** Standard Condition of RFP.
- (d) **Part IV.** Evaluation criteria and Price Bid issues

3. This RFP is being issued with no financial commitment and the Buyer reserves the right to change or vary any and part thereof at any stage. Buyer also reserves the right to withdraw the RFP, should it become necessary at any stage.

(Ms. Ritu Sharma)
Principal
APS Miran Sahiib

Dated:

PART I – GENERAL INFORMATION

1. **Manner of Depositing the Bids.** The bids will be submitted in the following manner:-

(a) The original of following documents shall be submitted physically in the sealed tender box prior to bid submission closing date.

(i) **Earnest Money Deposit.** Bidders are required to submit Earnest Money Deposit (EMD) for **EMD: Rs 20,700 /- (Rupees Twenty Thousand Seven hundred only)** with their bids in the form of **Demand Draft only in favor of ARMY PUBLIC SCHOOL MIRAN SAHIB.** EMD should be valid for a period of **three months.** The Bid Security would be returned, after the receipt of Performance Security as called for the contract. The EMD will be forfeited if the bidder withdraws or derogates from the tender within the validity period. Canvassing and attempt to vitiate tender process in any form will also lead to forfeiture of EMD.

(b) Bidders are required to submit their technical and financial bids along with EMD in separate sealed envelopes, with company seal and signature of the authorized signatory. All the envelopes should be enclosed in a cover envelope, which is to be sealed with company seal and signature of the authorized signatory. Each page of the bid would be required to be initialized by the authorized signatory along with company stamp.

(c) Bidders are not exempt from depositing the EMD.

(d) **Last date and time for depositing the Bids : 17 July 2024**

(e) **Tentative Time and date for opening of Bids : 22 July 2024**

(f) **Location of Tender Box : Main Gate , 162 Inf Brig Miran Sahib (Edu Branch)**

(g) **Clarification regarding content of the RFP : 17 July 2024**

(h) Modification and withdrawal of Bids – No Bids shall be modified after the date and time of end of submission of bids. No bids may be withdrawn in the interval between the deadline for submission of bids and expiration of the period of Bids validity specified. Withdrawal of a Bid during this period will result in forfeiture of the Bidder's EMD.

(i) Rejection of Bids: Canvassing by the firm in any form, unsolicited letter and post tender correction may invoke summary rejection and forfeiture of EMD. Conditioned tenders will be rejected.

(j) Validity of Bids: Bids should remain valid for a minimum period of 03 Months from date of submission of bids.

(k) The approval or rejection of tender (s) rest with the Competent Financial Authority (CFA) as applicable, who reserve to himself the right of rejecting any tenders in whole or in part.

(l) Any further information required on application can be obtained on any working day between 0900 to 1600 Hours.

(m) 100 % payment of bills of the successful bidder will be made through e-payment upon generation of bill from the firm and physical receipt and acceptance of stores by APS, Miran Sahiib.

(n) These instructions on 'Invitation to Bid' are to be signed by you and returned along with your Bid.

TECHNICAL BID ENVELOPE (ANNEXURE 1 TO 3)

2. **Preparation and submission of Tenders:-** Tender will be submitted in two parts i.e. Technical Bid and Financial Bid. Quotation will be valid for 180 days. Bids will be submitted in three envelopes by bidder as under:-

(a) **Technical Bid Envelope – NETWORKING OF BUILDING - <Name of the firm>**

Principal
Army Public School,
Miran Sahib, Jammu

(b) **Financial Bid Envelope**

Financial Bid – **NETWORKING OF BUILDING** - <Name of the firm>
Principal
Army Public School,
Miran Sahib, Jammu

Financial bids of only technically successful vendors will be opened. Bidders are invited to be present at date and time of opening of financial bids at the school, date and time will be emailed 48 hours in advance. The lowest bidder (L1) will be selected successful to supply items. In case of failure, the next lowest bidder (L2) may be called upon to supply at the same cost, terms & conditions as for L1 bidder post negotiations.

(c) **EMD Envelope**

EMD – **NETWORKING OF BUILDING** -<Name of the firm>
Principal
Army Public School,
Miran Sahib, Jammu

EMD for **Rs 20,700 /- (Rupees Twenty Thousand seven hundred only)** in favor of **Army Public School, Miran Sahib** is valid for three months.

(d) **Cover Bid Envelope**

Bid – **NETWORKING OF BUILDING** - <Name of the firm>
Principal
Army Public School,
Miran Sahib, Jammu

PART II – SPECIFICATION

Deliverables

1. On conclusion of contractual process unsuccessful bidders will be returned EMDs.
2. Changes to selected products of L-1 bidder will be intimated in writing by school management and explained in person to the bidder. Bidder is permitted to supply complete items in one go within ten days, items will be delivered as per under mention schedule:-

(a)	NETWORKING OF BUILDING	Within 30 days of supply order.
-----	------------------------	---------------------------------

MINIMUM SPECIFICATIONS

Bidders must submit a quote that meets the requirement of the below-mentioned specifications:-

S.no	Item Name and Specifications	QTY
01	2 U Rack Type of Product : DVR/ NVR Network Rack Color : Dual-Tone Gray Door : Lockable with Lock & Key Finish Type : Powder coated	33
02	PVC Trucking Duct Material Specification : High impact, Self Extinguishing, Rigid PVC Mechanical Specification : Tensile Strength- 90kg/cm ² Impact Strength- 7kgs.cm/cm Electrical Properties : Di-electric Strength-- 36kV/mm Flammability : UL94 V Color : Standard - Grey	2100 Meter
03	Cat 6 Cable Brand : D-Link, HI FOCUS Cable Type : Ethernet Compatible Devices : Modem Compatible Phone Models : Modem Colour : gray, Black Connector Gender : Male-to-Male Shape : Round Net Quantity : 1 Count Connectivity Technology : Ethernet Outer Material : Other Inner jacket material : PVC Storage temperature range : -20 deg.C to +70 deg. C Operating temperature range : -20 deg.C to +60 deg. C Cable category : CAT6 UTP - Outer jacket FR Conductor diameter : 0.51 mm (24 AWG) Length of cable in a bundle : 305 mtrs Maximum DC resistance - in : Ohm/Km Max. 100 Ohm/Km	10

04	<p>2.5 mm 2 Core Copper unarmored Cable</p> <p>Features Good Quality PVC Coating and Good Grade Copper Conductor material is used which makes it suitable for domestic as well as Industrial use.</p> <p>Conformity to Indian Standard As per IS: 694: 2010 (With latest up to date Amendment)</p> <p>Type of Insulation (shall conforming to IS:5831:1984 latest) Type C (HR)</p> <p>Thickness of Insulation As per (Clause 17.1.2) of IS 694</p>	1400 Meter
05	<p>PVC Box</p> <p>Material Polyvinyl Chloride</p> <p>Brand PVC</p> <p>Colour White</p> <p>Style Modern</p> <p>Product Dimensions 12D x 12W x 5H Centimeters</p> <p>Type Waterproof Junction Box</p> <p>Material Plastic</p>	150
	<p>8 + 2 Giga POE Switch</p> <p>Ports 2*1000Mbps Uplink ports + 8*1000Mbps PoE ports</p> <p>Transmission Rate 2000Mbps Full Duplex; 10 or 100 or 1000Mbps Half Duplex</p> <p>Transmission Distance 0-130m</p> <p>Performance Specification Bandwidth: 24.0Gbps Network Latency (10 to 1000Mbps): 16µs (use the 64byte package size) MAC address table: 8K The Frame Filter &</p> <p>Transmission Rate: 14800pps the most for 10M port, 148800pps the most for 100M port, 1488000pps the most for 1000M port</p> <p>Networking Standard IEEE 802.3i 10BASE-T IEEE 802.3u 100BASE-TX/ IEEE 802.3ab 1000BASE-T IEEE 802.3xFlowControl IEEE 802.3af/at/bt Power over Ethernet</p>	20
07	<p>4+ 2 Giga POE Switch</p> <ul style="list-style-type: none"> • 4 Port 10/100/1000Base-T Ethernet ports, 2 Port 10/100/1000Base-T • Uplink ethernet port • The 4 port (RJ45 ethernet port) Support IEEE802.3 af/at PoE protocol, An PoE RJ45 port can supply maximum power output of 25.4W • Support 10/100/1000mbps auto-negotiate • Support Half/Full duplex adaptive, and auto MDI/MDI-X 	20

	<p>function</p> <ul style="list-style-type: none"> • All port support wire-speed forwarding • Support desktop and wall-mounted installation • Plug and Play, no configuration requirements • Metal case, internal power supply, Excellent heat dissipation performance can let the product running stable for a long time 																																									
08	<p>NVR</p> <ul style="list-style-type: none"> • 32CH Support 12MP/ 8MP / 6MP / 5MP / 4MP / 3MP / 1080P / 960P / 720P/960H/D1/CIF IP • Video Input • Adopt standard H.265+, H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate • Playback :16 CH simultaneous playback • DHCP, DDNS ,PPoE network protocol and CMS supported • Remote control via web or CMS: preview, playback, backup, PTZ and configuration • 4K Output True High resolution Display • Multi-mode recording: manual / timer / motion / sensor/POS/AI recording • Dual stream technology for local storage with high definition, remote network transmission • and remote surveillance with mobile device, • Multi- user online simultaneously • Support PTZ Preset and auto cruise, up to 255 Presets and 8 cruises • Powerful smart phone & Pad surveillance with iOS and andriod OS 	10																																								
09	<p>Manageable Rack</p> <ul style="list-style-type: none"> • STORAGE 6 Feet 2 Door Shutter – 3F (L) X 1F 6In (D) X 6F (H)- Dark Brown (MO) • 	02																																								
10	<p>Storage cabinet</p> <ul style="list-style-type: none"> • CABIN STORAGE – 4 Door Back Unit – 6F (L), 1F 6In (D) & 2F 6In (H) – MO 	02																																								
11	<p>LED TV</p> <p>inside The Box 1 Unit TV, Stand, Audio Cable, User Manual, Warranty Card, Remote, 2 Batteries</p> <table> <tr> <td>Display Size</td> <td>(55 inch)</td> </tr> <tr> <td>Screen Type</td> <td>LED</td> </tr> <tr> <td>HD Technology & Resolution</td> <td>Ultra HD (4K), 3840 x 2160</td> </tr> <tr> <td>Smart Tv</td> <td>Yes</td> </tr> <tr> <td>HDMI</td> <td>3</td> </tr> <tr> <td>USB</td> <td>1</td> </tr> <tr> <td>Built In Wi-Fi</td> <td>Yes</td> </tr> <tr> <td>Launch Year</td> <td>After 2022</td> </tr> <tr> <td>Wall Mount Included</td> <td>No</td> </tr> <tr> <td>Brightness</td> <td>280 nits</td> </tr> <tr> <td>View Angle</td> <td>178 Degree</td> </tr> <tr> <td>LED Display Type</td> <td>DLED</td> </tr> <tr> <td>Aspect Ratio</td> <td>16:09</td> </tr> <tr> <td>Refresh Rate</td> <td>60 Hz</td> </tr> <tr> <td>Number of Speakers</td> <td>2</td> </tr> <tr> <td>Speaker Output RMS</td> <td>24 W</td> </tr> <tr> <td>Ram Capacity</td> <td>2 GB</td> </tr> <tr> <td>Storage Memory</td> <td>16 GB</td> </tr> <tr> <td>Operating System Present</td> <td>Yes</td> </tr> <tr> <td>Power Requirement</td> <td>AC 100 - 240 V</td> </tr> </table>	Display Size	(55 inch)	Screen Type	LED	HD Technology & Resolution	Ultra HD (4K), 3840 x 2160	Smart Tv	Yes	HDMI	3	USB	1	Built In Wi-Fi	Yes	Launch Year	After 2022	Wall Mount Included	No	Brightness	280 nits	View Angle	178 Degree	LED Display Type	DLED	Aspect Ratio	16:09	Refresh Rate	60 Hz	Number of Speakers	2	Speaker Output RMS	24 W	Ram Capacity	2 GB	Storage Memory	16 GB	Operating System Present	Yes	Power Requirement	AC 100 - 240 V	02
Display Size	(55 inch)																																									
Screen Type	LED																																									
HD Technology & Resolution	Ultra HD (4K), 3840 x 2160																																									
Smart Tv	Yes																																									
HDMI	3																																									
USB	1																																									
Built In Wi-Fi	Yes																																									
Launch Year	After 2022																																									
Wall Mount Included	No																																									
Brightness	280 nits																																									
View Angle	178 Degree																																									
LED Display Type	DLED																																									
Aspect Ratio	16:09																																									
Refresh Rate	60 Hz																																									
Number of Speakers	2																																									
Speaker Output RMS	24 W																																									
Ram Capacity	2 GB																																									
Storage Memory	16 GB																																									
Operating System Present	Yes																																									
Power Requirement	AC 100 - 240 V																																									

	Power Consumption	145 W, 0.5 W (Standby)	
12	Wifi Router Wireless Smart Dual-Band Gigabit WiFi Router, MU-MIMO, 4 Gigabit Ports, 867Mbps/5 GHz+ 300Mbps /2.4GHz, Support VPN Server, WiFi Schedule, (Black, Not a Modem)		05
13	Optical Fiber Cable Cable Type Unarmoured Cable Length 1 Km Diameter 8.5 mm Mode Type Single Mode Jacket Material HDPE Operating Temperature -40 deg C to +70 deg C Storage Temperature -40 deg C to +60 deg C		1000 Meter
14	Laying out cables 1000 Meter Optical Fiber, 3050 meters of coaxial cable and 1600 meters of 2.5 mm 2 core copper unarmored cable in a 3-story building, with each floor approximately 533 meters in length and a building height of around 13 meters. Total length of 2.5 mm 2 Core Copper cable per floor = 1600 meters / 3 floors = 533.33 meters per floor (assuming you distribute evenly)		01
15	Media Converter <ul style="list-style-type: none"> • Support the switch between 10/100/1000Base-T and 1000Base-SX/LX • 1*1.25Gbps full duplex fiber port, 1*10/100/1000M adaptive Ethernet port • Support 10/100/1000M rate, support MDI/MDI-X adaptive, support full/half duplex adaptive • Each port has the complete LED Indicator light • Support IEEE802.1d Spanning Tree • Support high performance QoS function on each port • 1*9 fixed fiber module or SFP slot optional • Support 9K bytes Jumbo Packet • Low time delay, data isolation function • Require no configuration and will instantly operate as soon as you power it up • Small volume • Low power consumption chip with heat sink built in to ensure longtime efficient operation 		20
16	Documentation: Hand over documentation, including camera locations, configurations, and maintenance procedures, to the building management team.		01
17	Installation and Configuration of 151 CCTV Cameras throughout the building		01
18	Installation and Configuration of 96 LAN Connections throughout the building		01
19	Installation and Configuration of 1 x computer Lab with 40 LAN Connections		01

To install and configure 150 CCTV cameras throughout the building, vendor need to follow a

systematic process

Site Survey:

Conduct a comprehensive site survey to determine the optimal locations for camera placement. Identify areas of interest, such as entry points, corridors, stairwells, parking lots, and high-security zones.

Install mounting brackets or housings for each camera at the predetermined locations.

Ensure proper alignment and angle adjustment for optimal camera coverage.
Securely mount the cameras to prevent tampering or unauthorized adjustments.

Connection and Power Supply:

Connect each camera to the power source and the network switch using the appropriate cables. Verify power supply and network connectivity for each camera to ensure they are operational.

Configuration and Setup:

Access the camera's configuration interface to set up parameters such as resolution, frame rate, motion detection, and recording settings.
Configure network settings, including IP addresses and network protocols, for remote access and integration with the central monitoring system.

Testing and Calibration:

Conduct thorough testing of each camera to verify its functionality, image quality, and coverage area. Make necessary adjustments to camera settings or positioning to optimize performance and minimize blind spots.

Integration with Monitoring System:

Integrate the CCTV cameras with the central monitoring system for real-time monitoring and recording. Configure alerts and notifications for events such as motion detection or tampering.

Training and Handover:

Provide training to relevant personnel on how to operate and manage the CCTV system effectively. Hand over documentation, including camera locations, configurations, and maintenance procedures, to the building management team.

Ongoing Maintenance and Support:

Establish a maintenance schedule for regular inspections, cleaning, and firmware updates to ensure the continued reliability and performance of the CCTV system.

Provide ongoing technical support and troubleshooting assistance as initially for one year.

**PART III – STANDARD CONDITIONS OF
RFP**

1. **Warranty.** The seller will provide warranty for minimum **12 months** from the date of acceptance, wherever the warranty given by OEM is lesser the same will be extended by Seller at his own cost. If the repair is not found satisfactory and/ or item(s) is found not repairable by the buyer, the item(s) will be replaced by the seller at his own cost. If he fails to do so, the risk and expense clause will be invoked and item(s) bought from local market and the risk, cost and expense of the seller and money(s) so incurred in executing purchase shall be recovered from the amount due to seller/EMD/PBG etc.

2. **Delivery Period.** Delivery period for supply of items/installed would be within **30 days** from the date of supply order. Please note that contract can be cancelled unilaterally by the Army Public School Miran Sahib in case items are not received within the time which is given on Supply Order. Extension of contracted

IMPLEMENTATION AND TECHNICAL SUPPORT	
Technician Certification Requirements	<ul style="list-style-type: none"> • Qualified technicians or Engineers to conduct installations and technical support (provide certificates as proof) • Company Certifications Proofs
Onsite Technical Support Maintenance	<ul style="list-style-type: none"> • 1 Year onsite technical support & maintenance • Swap out equipment • Next business day response
Quality Assurance and Control	<ul style="list-style-type: none"> • The Contractor must guarantee full quality assurance of all • Works carried out in accordance with the requirements described in this call for tenders.

delivery period will be at the sole discretion of the Army Public School, Miran Sahib, with applicability of LD clause.

3. **Eligibility Criteria.** The Tenders must fulfill following tender enquiry for successful bidder as per the following laid down procedures. In order to be technically qualified, bidder has to fulfill the following criteria:-

(a)	Participating entity's turnover should be minimum Rs 20 lacs for previous financial year 2022-2023.
(b)	Attached ITR copy of previous year 2023-2024 and Last Quarter/Month GST Return
(c)	EMD

(d)	Participating entity should have valid Permanent Account Number (PAN), manufacturing/trading license/contractor (if applicable), and Goods and Services Tax(GST) number.
(e)	Annexure-1 and 2 to be submitted.
(f)	Experience Certificate or any other documents which establishes the credentials of the firm in the field of the tender

4. **Performance Security.** Performance Security can be submitted in form of Performance Bank Guarantee (PBG) pledged in favour of **Army Public School, Miran Sahiib** drawn on any nationalized bank or Demand Draft (DD). PBG will be valid for 12 months. PBG will be released, less due to buyer on account of penalties/other dues, on completion of warranty period, unless forfeited as per terms and condition. PBG @ 4% of the bid amount will be applicable for successful bidder as per the laid down procedure & PBG hold for three year. PBG will be deposited within 7 days of placing of Supply Order. In case seller fails to deposit PBG within 7 days, amount due will be recovered from EMD and /or amount due to be paid to seller, by the buyer. Penal of delay will be 0.5% of amount due per week or part thereof upto a maximum of 4% which will then lead to termination of contract and supply order at the sole discretion of school management. Discretion in delay waiver will be of school management only if provided in writing.

5. **Repeat Order Clause:** The contract will have a Repeat Order Clause, wherein the Army Public School Miran Sahiib can order upto 50% quantity of the items under the present contract within six months from the date of supply/successful completion of this contract, the cost, terms & conditions remaining the same. The Bidder is to confirm acceptance of this clause. It will be entirely the discretion of the ArmyPublic School, Miran Sahiib to place the Repeat order or not.

6. **Tolerance Clause:** To take care of any change in the requirement duringthe period starting from issue of tender enquiry till placement of the contract. Army Public School Miran Sahiib reserves the right to 50% plus/minus increase or decrease the quantity of the required goods up to that limit without any change in the terms & conditions and prices quoted by the Seller. While awarding the contract, the quantity ordered can be increased or decreased by the Army Public School, Miran Sahiib within this tolerance limit. Such tolerance will be indicated by the school any time from now till delivery of 50% of the items by seller, scheduled and indicated in supply order.

7. **Payments:** No advance payments will be made. Payment will be for items supplied only on successful acceptance of items by school management through duly constituted board of teachers by the school management.

8. **Liquidated Damages:** In the event of the Seller's failure to submit the Bonds, Guarantees and Documents, supply the stores/goods and conduct trials, installation of equipment, training, etc as specified in this contract, the Army Public School, Miran Sahiib may, at his discretion, with hold any payment until the completion of the contract. The Army Public School Miran Sahiib may also deduct from the Seller as agreed, liquidated damages to the sum of upto 4% of the contract price of the delayed/undelivered stores/services mentioned above, liquidated damages for every week of delay or part of a week will be 0.5%, subject to the maximum value of the Liquidated Damages being not higher than 4% of the value of delayed stores.

9. **Industry Norms:** Device should meet industry norms and relevant certificate tobe provided.

10. **Penalty for use of undue influence :** The Seller undertakes that he has not given, offered or promised to give, directly or indirectly, any gift, consideration, reward, commission, fees, brokerage or inducement to any person in service of the Buyer or to any other person in a position to influence any officer/employee of the Buyer for showing any favour in relation to this or any other contract, shall render the Seller tosuch liability / penalty as the Buyer may deem proper, including but not limited to termination of the contract, imposition of penal damages, forfeiture of the Bank Guarantee and refund of the amounts paid by the Buyer.

11. **Agent / Agency Commission** The Seller confirms and declares to the Buyer that the Seller is the original manufacturer/ authorized vendor of the stores/provider of the services referred to in this Contract and has not engaged any individual or firm. If at a later stage it is discovered by the Buyer that the Seller has engaged any such individual/firm, and paid or intended to pay any amount, gift, reward, fees, commissioner consideration to such person, party, firm or institution, whether before or after the signing of this contract, the Seller will be liable to refund that amount to the Buyer.

13. **Non Disclosure of Contract Document** Except with the written consent of the Buyer/ Seller, other party shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party
14. **Termination of Contract** The Buyer shall have the right to terminate this Contract in part or in full in any of the following cases:-
- (a) The delivery of the material is delayed for causes not attributable to Force Majeure for more than one month after the scheduled date of delivery.
- (b) The Seller is declared bankrupt or becomes insolvent.
- (c) The delivery of material is delayed due to causes of Force Majeure by more than one month from the cessation of Force Majeure condition included in contract.
- (d) The Buyer has noticed that the Seller has utilized the services of any Indian/Foreign agent in getting this contract and paid any commission to such individual/company etc.
15. **Transfer and Sub-letting** The Seller has no right to give, bargain, sell, assign or sublet or otherwise dispose of the Contract or any part thereof, as well as to give or to let a third party take benefit or advantage of the present Contract or any part thereof.
16. **Taxes and Duties:** The bidders should quote basic cost inclusive of cost of transportation upto destination and duly Decarately including various taxes as applicable
17. **OEM Certificate:** All original OEM Certificates should be handed over along with stores
18. **Training and Manual :** Equipment Training to be provided to user at no extra cost. User manual should be provided along with stores
19. **Fall Clause:** Fall Clause will be invoked if price charged for stores supplied under contract exceeds the lowest price at which contractor sells identical stores to any other Org/Deptt of Central Govt/State Govt/Undertaking during current contract.
20. **Down Time:** The vendor should ensure that the equipment reported down (including due to OS related problems) on any working day is set right **within 56 hours of reporting the complaint and in no case, later than three working days**. In case, the hardware cannot be repaired within the stipulated period, the vendor should provide replacement (of equivalent capacity) of the same.
21. **Warranty Repair Register:** Vendor will maintain Defect / Warranty register for all Repair / Warranty Replacement / Schedule Maintenance for record.

ANNEXURE 1 – ORGANIZATION DETAILS

1. The following information requested needs to be submitted in the technical bid to the concerned authorities with appropriate supporting documentation, duly attested by authorized signatory of the firm/agency, failing which this would be rejected.

S No	Information Requested	Supporting documents required	Tick
1	Name of the firm/agency	Certificate of registration/incorporation	
2	Address of the firm/agency		
3	Telephone no.		
4	Email ID		
5	Participating entity should be a Service Provider of Physical Education with a valid Permanent Account Number (PAN), manufacturing/trading license (if applicable), and Goods and Services Tax (GST) number	PAN card copy	
		GST certificate copy and Quarterly/Month return certificate	
6	Participating entity's turnover should be minimum Rs 20 lakhs previous financial year 2023-2024	Copies of ITR for assessment years 2023-2024	
7	Address proof of office/firm/agency/shop	Copies of Electricity Bill, Water Bill, Telephone Bill, Rent Agreement, Bank Statement - any one document	
8	EMD	Rs 20,700 /- (Rupees Twenty Thousand seven hundred only)	
9	Experience certificate (Supply order for the same category from Government t or semi Government body min 10 Lakhs)		

PART IV – EVALUATION CRITERIA TECHNICAL AND PRICE BID ISSUES

- a) Only those bidders, whose technical specifications are correctly matched will be eligible for opening of financial bids.
- b) Once L-1 is decided and supply order placed, technical testing of the product will be carried out before its acceptance.

Financial/ Commercial Proposal

Details are given as per Scope of Work, specifications and other indications/ illustrations/ details given in RFP, as under:-

S. No	Item	Accounting Unit	Qty	Basic Cost (Rs)('X')	GST Applicable(%)	Total Price (Rs)
1.	2 U Rac					
2	PVC Trucking Duct					
3	Cat 6 Cable					
4	2.5 mm 2 Core Copper unarmored Cable					
5	PVC Box					
6	8 + 2 Giga POE Switch					
7	4+ 2 Giga POE Switch					
8	NVR					
9	Manageable Rack					
10	Storage cabinet					
11	LED TV					
12	Wifi Router					
13	Optical Fiber Cable					
14	Laying out cables					
15	Documentation					
16	Media Converter					
17	Installation and Configuration of 151 CCTV Cameras throughout the building					
18	Installation and Configuration of 96 LAN Connections throughout the building					
19	Installation and Configuration of 1 x computer Lab with 40 LAN Connections					
Cost (Rs) ('Including GST') in Rupees –						
Total Price (Rs) in words –						

Empty rectangular box at the top of the page.

The Technical Bid, Financial Bid and EMD in different - different envelopes and these envelopes in one envelope (Cover Bid Envelope)

SAMPLE ENVELOPE

TECHNICAL BID

Technical Bid
Envelope Sample

"NETWORKING OF BUILDING"

Sender Address

COMMERCIAL BID

Financial Bid
Envelope Sample

"NETWORKING OF BUILDING"

Sender Address

EMD/ MSME CERTIFICATE

EMD/MSME
Certificate
Envelope Sam

"NETWORKING OF BUILDING"

